

DAN-Board

Flex

New double-sided

ground protection mat



DANREC
THE GREEN CHOICE 

A FLEXIBLE DESIGN FOR MULTIPLE PURPOSES

DAN-Board Flex is a double-sided ground protection mat made from 100% recycled LDPE plastic. Thanks to its structure on both sides, the mat can be flipped and used for various types of traffic, which also provides improved stability on uneven terrain. The patterned underside ensures better grip on the ground, increasing slip resistance on wet, muddy, or sloped surfaces.

Advantages of DAN-Board Flex:

- High quality and strength
 - Multiple applications – suitable for various types of traffic
 - Improved stability on uneven terrain
-

Load-bearing			
mm	Unpaved wet	Unpaved dry	Paved
16	7,5 ton	15 ton	30 ton
20	10 ton	25 ton	45 ton
24	12 ton	27 ton	50 ton

All data regarding load-bearing capacity depends on factors such as temperature, soil composition, soil bearing capacity and contact areas. The numbers indicate minimum load-bearing capacity.



FRONT SIDE



The front side of DAN-Board Flex has a structured pattern of 2 mm. This side is optimized for pedestrian traffic and lighter vehicles. It is also possible to add a logo to the mat on this side.

The fine pattern is ideal for:

- Pedestrians
- Transport trolleys
- Smaller machinery
- Events
- Soft terrain

BACK SIDE

The back side of DAN-Board Flex has a rougher 4 mm pattern, making it ideal for heavier traffic that requires increased slip resistance and better grip on the surface.

The coarse pattern is perfect for:

- Construction machinery
- Crane trucks
- Trucks
- Extra wet and muddy terrain



VARIANTS

Material	Recycled plastic. Type: LDPE
Standard surface	Structure 4 mm, structure 2 mm

Colour	L (mm)	W (mm)	T (mm)	Product number	weight (kg)	DAN-Boards /pallet
Neutral	2.000	1.000	16	A3200010001600H0E0	22,2	45
Neutral	2.000	1.000	20	A3200010002000H0E0	29,7	38
Neutral	2.000	1.000	24	A3200010002400H0E0	37,2	30
Neutral	2.400	1.200	16	A3240012001600H0E0	32,0	30
Neutral	2.400	1.200	20	A3240012002000H0E0	42,8	26
Neutral	2.400	1.200	24	A3240012002400H0E0	53,7	20
Black	2.000	1.000	16	A1200010001600H0E0	22,2	45
Black	2.000	1.000	20	A1200010002000H0E0	29,7	38
Black	2.000	1.000	24	A1200010002400H0E0	37,2	30
Black	2.400	1.200	16	A1240012001600H0E0	32,0	30
Black	2.400	1.200	20	A1240012002000H0E0	42,8	26
Black	2.400	1.200	24	A1240012002400H0E0	53,7	20



+45 97 100 200
danrec@danrec.dk



www.danrec.eu

Would you like a personal offer or do you have any questions? Contact the Key Account Manager in your area.